

TIMELESS RADIATORS



THE EDWARDIAN 2

SIZE CHART



RA 2450

SECTIONS ADDED	TOTAL LENGTH MM	BTUs @ $\Delta T60$	WATTS @ $\Delta T60$
1		334	98
2		668	196
3	218	1002	294
4	280	1336	392
5	342	1670	489
6	404	2004	587
7	466	2338	685
8	528	2672	783
9	590	3006	881
10	652	3340	979
11	714	3674	1077
12	776	4008	1175
13	838	4342	1272
14	900	4676	1370
15	962	5010	1468
16	1024	5344	1566
17	1086	5678	1664
18	1148	6012	1762
19	1210	6346	1860
20	1272	6680	1958

TIMELESS RADIATORS



RA 2660

SECTIONS ADDED	TOTAL LENGTH MM	BTUs @ $\Delta T60$	WATTS @ $\Delta T60$
1		509	149
2		1018	298
3		1527	448
4	356	2036	597
5	437	2545	746
6	518	3054	895
7	599	3563	1044
8	680	4027	1193
9	761	4581	1342
10	842	5090	1492
11	923	5599	1641
12	1004	6108	1790
13	1085	6617	1939
14	1166	7126	2089
15	1247	7635	2238
16	1328	8144	2387
17	1409	8653	2536
18	1490	9162	2685
19	1571	9671	2834
20	1652	10180	2984

TIMELESS RADIATORS



OVERVIEW

The EDWARDIAN 2 cast iron radiator is exclusive to Beaumont. This very popular style comes in two heights and with its' smooth lines will add charm to any room in any period or contemporary property.

All Beaumont cast iron radiators are carefully hand built to your own required BTUs and fully assembled ready for plumbing into your new or existing pipework.

The EDWARDIAN 2 can be finished in a variety of colours – metallic, Farrow & Ball range, RAL colours or primed for onsite painting.

Because each radiator section is hand cast there may be a slight variation in the length of each radiator once built (end bush to end bush), please allow for this in your pipework fitting.

RA2450

DEPTH OF SECTION FROM SKIRTING BOARD = 102MM

SECTION WIDTH = 62MM

WEIGHT = 3KG

RA2660

DEPTH OF SECTION FROM SKIRTING BOARD = 140MM

SECTION WIDTH = 81MM

WEIGHT = 7KG